


great-white.in/int



A PERFECT
HOST FOR
A WARM

Welcome

musical bells catalogue  2023



GreatWhite FZCO

4E B 347, P.O BOX # 293620. Dubai Airport Free Zone,
(DAFZA), Dubai, UAE.

Tel: +971 4 2340067,
Email: sales@greatwhite.ae

Payment Privacy Policy | Payment Terms of Use
©GreatWhite Global Pvt. Ltd. All Rights Reserved.

great-white.in/int



Welcome to the world of Great!


I was thrilled with GreatWhite's vision of providing an extraordinary lifestyle and was fascinated by the revolutionary products that brand has developed in the home electrical space. The brand has redefined the meaning of comfort with solutions that are not only innovative but at the same time environment friendly too. The idea of creating a comfortable lifestyle with a sustainable environment is the true meaning of luxury and this enticed me for the association with the brand.

With this association as brand ambassador of GreatWhite, I feel privileged to promote luxury and comfort to consumers across the globe. The world is changing and I believe the need for convenience and safety is the need of the contemporary world. Brand's philosophy of providing a better life with innovative and ultra - modern solutions resonates with my personality, Moreover, the commitment towards work and relentless efforts to create the products of exceptional quality and standards, sync with my belief.

I welcome you to this journey of luxury indeed to a journey of Great.


Tiger Shroff for GreatWhite

Tiger Shroff



**AESTHETICALLY BEAUTIFUL
AND FUNCTIONALLY EFFICIENT**

Smart Ding Dong Bell
10801



Milano Ding Dong Bell
10802




Della Ding Dong Bell
10803



Lunar Ding Dong Bell
10810



Magneto
Ding Dong Bell
10804



Ora
Ding Dong Bell
10805



Orix
Electronic
Ding Dong Bell
10812



**FOR A
MELODIOUS
WELCOME**

Omega
Electronic Bell
(Multi Tune)
10813



**ADD ELEGANCE TO YOUR
HOME DECOR**

**GET MESMERIZED
BY THE LOOK**

Acute
Electromagnetic
Ding Dong Bell
10809



Revo
Ding
Dong Bell
10818



**LEAVE
LASTING
IMPRESSIONS**

Moon
Ding
Dong Bell
10807




Wave
Ding
Dong Bell
10808



Curve
Ding
Dong Bell
10806

Grill Electronic
Ding Dong Bell
10816



Stratus Multi Tune
+ Ding Dong Bell
10815



Grid Electronic
Multitune Bell
10817



**DESIGNED
FOR
PERFORMANCE**

GEAR UP TO WITNESS NOVELTY

Experience novelty that adds a tinge of
subtleness to your marvellous architecture.



10801
SMART DING DONG BELL



General	
Model Name	: Smart Ding Dong Bell
Color	: White
Input Connection Type	: 240V AC_50Hz
Type	: Electro Mechanical
Operation /Sound / decibel	: Electro Mechanical/ Ding Dong /75db to 85db

Product & Design Features	
Body Material	: Engineering Polymer
Metal Material (For Sound)	: Alluminium
Input Connection Wire Length	: 80mm
Switch On delay time - (Max)	: 5Sec.
Product Dimension	: 165mm x 85mm x 43 mm
Product Weight	: 150gms
Metal Material	: Alluminium
Life cycle	: > 20000 Cycle

Packaging Details	
Qty/Inner	: 1
Qty/Outer	: 10
Qty / Master	: 40
Qty / Pallate	: 1440

Special Features
Door Bell is Fire Resistant & Shockproof Which Makes It Safe to Use.
Suitable for Residential & Commercial Spaces.

10803
DELLA DING DONG BELL



General	
Model Name	: Della Ding Dong Bell
Color	: White
Input Connection Type	: 240V AC_50Hz
Type	: Electro Mechanical
Operation /Sound / decibel	: Electro Mechanical/ Ding Dong / 75db to 85db

Product & Design Features	
Body Material	: Engineering Polymer
Metal Material (For Sound)	: Alluminium
Input Connection Wire Length	: 80mm
Switch On delay time - (Max)	: 5Sec.
Product Dimension	: 165mm x 85mm x 43 mm
Product Weight	: 148gms
Metal Material	: Alluminium
Life cycle	: > 20000 Cycle

Packaging Details	
Qty/Inner	: 1
Qty/Outer	: 10
Qty / Master	: 40
Qty / Pallate	: 1440

Special Features
Door Bell is Fire Resistant & Shockproof Which Makes It Safe to Use.
Suitable for Residential & Commercial Spaces.

10802
MILANO DING DONG BELL

General	
Model Name	: Milano Ding Dong Bell
Color	: White
Input Connection Type	: 240V AC_50Hz
Type	: Electro Mechanical
Operation /Sound / decibel	: Electro Mechanical/ Ding Dong / 75db to 85db

Product & Design Features	
Body Material	: Engineering Polymer
Metal Material (For Sound)	: Alluminium
Input Connection Wire Length	: 80mm
Switch On delay time - (Max)	: 5Sec.
Product Dimension	: 165mm x 85mm x 43 mm
Product Weight	: 151gms
Metal Material	: Alluminium
Life cycle	: > 20000 Cycle

Packaging Details	
Qty/Inner	: 1
Qty/Outer	: 10
Qty / Master	: 40
Qty / Pallate	: 1440

Special Features
Door Bell is Fire Resistant & Shockproof Which Makes It Safe to Use.
Suitable for Residential & Commercial Spaces.



General	
Model Name	: Magneto Ding Dong Bell
Color	: White + Red
Input Connection Type	: 240V AC_50Hz
Type	: Electro Mechanical
Operation /Sound / decibel	: Electro Mechanical/ Ding Dong / 75db to 85db

Product & Design Features	
Body Material	: Engineering Polymer
Metal Material (For Sound)	: Alluminium
Input Connection Wire Length	: 80mm
Switch On delay time - (Max)	: 5Sec.
Product Dimension	: 178mm x 100mm x 43mm
Product Weight	: 193gms
Metal Material	: Alluminium
Life cycle	: > 20000 Cycle

Packaging Details	
Qty/Inner	: 1
Qty/Outer	: 10
Qty / Master	: 30
Qty / Pallate	: 1080

Special Features
Door Bell is Fire Resistant & Shockproof Which Makes It Safe to Use.
Suitable for Residential & Commercial Spaces.

10804
MAGNETO DING DONG BELL



10805
ORA DING DONG BELL



General

Model Name	:	Ora Ding Dong Bell
Color	:	White + Red
Input Connection Type	:	240V AC_50Hz
Type	:	Electro Mechanical
Operation /Sound / decibel	:	Electro Mechanical/ Ding Dong / 75db to 85db

Product & Design Features

Body Material	:	Engineering Polymer
Metal Material (For Sound)	:	Alluminium
Input Connection Wire Length	:	80mm
Switch On delay time - (Max)	:	5Sec.
Product Dimension	:	175mm x 100mm x 43mm
Product Weight	:	190gms
Metal Material	:	Alluminium
Life cycle	:	> 20000 Cycle

Pallatizing Details

Qty/Inner	:	1
Qty/Outer	:	10
Qty / Master	:	30
Qty / Pallate	:	1200

Special Features

Door Bell is Fire Resistant & Shockproof Which Makes It Safe to Use.
Suitable for Residential & Commercial Spaces.

10807
MOON DING DONG BELL



General

Model Name	:	Moon Ding Dong Bell
Color	:	White + Red
Input Connection Type	:	240V AC_50Hz
Type	:	Electro Mechanical
Operation /Sound / decibel	:	Electro Mechanical/ Ding Dong / 75db to 85db

Product & Design Features

Body Material	:	Engineering Polymer
Metal Material (For Sound)	:	Alluminium
Input Connection Wire Length	:	80mm
Switch On delay time - (Max)	:	5Sec.
Product Dimension	:	175mm x 100mm x 45mm
Product Weight	:	179gms
Metal Material	:	Alluminium
Life cycle	:	> 20000 Cycle

Pallatizing Details

Qty/Inner	:	1
Qty/Outer	:	10
Qty / Master	:	30
Qty / Pallate	:	1200

Special Features

Door Bell is Fire Resistant & Shockproof Which Makes It Safe to Use.
Suitable for Residential & Commercial Spaces.

10806
CURVE DING DONG BELL



General

Model Name	:	Curve Ding Dong Bell
Color	:	White + Red
Input Connection Type	:	240V AC_50Hz
Type	:	Electro Mechanical
Operation /Sound / decibel	:	Electro Mechanical/ Ding Dong / 75db to 85db

Product & Design Features

Body Material	:	Engineering Polymer
Metal Material (For Sound)	:	Alluminium
Input Connection Wire Length	:	80mm
Switch On delay time - (Max)	:	5Sec.
Product Dimension	:	175mm x 100mm x 45mm
Product Weight	:	190gms
Metal Material	:	Alluminium
Life cycle	:	> 20000 Cycle

Pallatizing Details

Qty/Inner	:	1
Qty/Outer	:	10
Qty / Master	:	30
Qty / Pallate	:	1200

Special Features

Door Bell is Fire Resistant & Shockproof Which Makes It Safe to Use.
Suitable for Residential & Commercial Spaces.

General

Model Name	:	Wave Ding Dong Bell
Color	:	White + Red
Input Connection Type	:	240V AC_50Hz
Type	:	Electro Mechanical
Operation /Sound / decibel	:	Electro Mechanical/ Ding Dong / 75db to 85db

Product & Design Features

Body Material	:	Engineering Polymer
Metal Material (For Sound)	:	Alluminium
Input Connection Wire Length	:	80mm
Switch On delay time - (Max)	:	5Sec.
Product Dimension	:	175mm x 100mm x 50mm
Product Weight	:	180gms
Metal Material	:	Alluminium
Life cycle	:	> 20000 Cycle

Pallatizing Details

Qty/Inner	:	1
Qty/Outer	:	10
Qty / Master	:	30
Qty / Pallate	:	1200

Special Features

Door Bell is Fire Resistant & Shockproof Which Makes It Safe to Use.
Suitable for Residential & Commercial Spaces.

10808
WAVE DING DONG BELL



10812
ORIX ELECTRONIC DING DONG BELL



General

Model Name	:	Orix Electronic Ding Dong Bell
Color	:	White + Red
Input Connection Type	:	240V AC_50Hz
Type	:	Electronics, Operated by 1.5V Dry Battery

Product & Design Features

Body Material	:	Engineering Polymer
Speaker Value	:	0.5Watt / 8 Ohms
Input Connection Wire Length	:	80mm
Switch On delay time - (Max)	:	1 Sec.
Product Dimension	:	140mm x 100mm x 30mm
Product Weight	:	146gms
Life cycle	:	> 20000 Cycle
Tune Selection	:	NA
Tunes / decible	:	Ding Dong - 75db to 85db

Pallatizing Details

Qty/Inner	:	1
Qty/Outer	:	5
Qty / Master	:	30
Qty / Pallate	:	1080

Special Features

Door Bell is Fire Resistant & Shockproof Which Makes It Safe to Use. Suitable for Residential & Commercial Spaces.

10815
STRATUS ELECTRONIC MULTITUNE PLUS DING DONG BELL



General

Model Name	:	Stratus Electronic Multitune/Ding Dong Bell
Color	:	White + Black
Input Connection Type	:	240V AC_50Hz
Type	:	Electronics operated by 1.5V Dry Battery

Product & Design Features

Body Material	:	Engineering Polymer
Speaker Value	:	0.5Watt / 8 Ohms
Input Connection Wire Length	:	80mm
Switch On delay time - (Max)	:	1 Sec.
Product Dimension	:	150mm x 108mm x 34mm
Product Weight	:	190gms
Life cycle	:	> 20000 Cycle
Tune Selection	:	Slider Switch
Tunes / decible	:	Indian Music and Ding Dong / 75db to 85db

Pallatizing Details

Qty/Inner	:	1
Qty/Outer	:	5
Qty / Master	:	30
Qty / Pallate	:	1350

Special Features

Door Bell is Fire Resistant & Shockproof Which Makes It Safe to Use. Suitable for Residential & Commercial Spaces.

10813
OMEGA ELECTRONIC BELL (MULTITUNE)

General

Model Name	:	Omega Electronic Bell (Multi Tune)
Color	:	White + Red
Input Connection Type	:	240V AC_50Hz
Type	:	Electronics operated by 1.5V Dry Battery

Product & Design Features

Body Material	:	Engineering Polymer
Speaker Value	:	0.5Watt / 8 Ohms
Input Connection Wire Length	:	80mm
Switch On delay time - (Max)	:	1 Sec.
Product Dimension	:	140mm x 100mm x 28mm
Product Weight	:	163gms
Life cycle	:	> 20000 Cycle
Tune Selection	:	Automatic - One By One
Tunes / decible	:	Indian Music / 75db to 85db

Pallatizing Details

Qty/Inner	:	1
Qty/Outer	:	5
Qty / Master	:	30
Qty / Pallate	:	1080

Special Features

Door Bell is Fire Resistant & Shockproof Which Makes It Safe to Use. Suitable for Residential & Commercial Spaces.



10816
GRILL ELECTRONIC DING DONG BELL

General

Model Name	:	Grill Electronic Ding Dong Bell
Color	:	Dark Grey + Black
Input Connection Type	:	240V AC_50Hz
Type	:	Electronics operated by 1.5V Dry Battery

Product & Design Features

Body Material	:	Engineering Polymer
Speaker Value	:	0.5Watt / 8 Ohms
Input Connection Wire Length	:	80mm
Switch On delay time - (Max)	:	1 Sec.
Product Dimension	:	150mm x 100mm x 27mm
Product Weight	:	158gms
Life cycle	:	> 20000 Cycle
Tune Selection	:	NA
Tunes / decible	:	Bing Bang Ding Dong / 75db to 85db

Pallatizing Details

Qty/Inner	:	1
Qty/Outer	:	10
Qty / Master	:	40
Qty / Pallate	:	1440

Special Features

Door Bell is Fire Resistant & Shockproof Which Makes It Safe to Use. Suitable for Residential & Commercial Spaces.



10817
GRID ELECTRONIC MULTI TUNE BELL



General	
Model Name	: Grill Electronic Ding Dong Bell
Color	: Dark Grey + Black
Input Connection Type	: 240V AC_50Hz
Type	: Electronics operated by 1.5V Dry Battery

Product & Design Features	
Body Material	: Engineering Polymer
Speaker Value	: 0.5Watt / 8 Ohms
Input Connection Wire Length	: 80mm
Switch On delay time - (Max)	: 1 Sec.
Product Dimension	: 150mm x 100mm x 27mm
Product Weight	: 159gms
Life cycle	: > 20000 Cycle
Tune Selection	: Automatic One by One
Tunes / decibel	: Indian Music / 75db to 85db

Pallatizing Details	
Qty/Inner	: 1
Qty/Outer	: 10
Qty / Master	: 40
Qty / Pallate	: 1440

Special Features
Door Bell is Fire Resistant & Shockproof Which Makes It Safe to Use.
Suitable for Residential & Commercial Spaces.

10809
SMART DING DONG BELL



General	
Model Name	: Accute Ding Dong Bell
Color	: White / Blue / pink
Input Connection Type	: 240V AC_50Hz
Type	: Electro Mechanical
Operation /Sound / decibel	: Electro Mechanical/ Ding Dong / 75db to 85db

Product & Design Features	
Body Material	: Engineering Polymer
Metal Material (For Sound)	: Alluminium
Input Connection Wire Length	: 80mm
Switch On delay time - (Max)	: 5Sec.
Product Dimension	: 150mm x 85mm x 34.5mm
Product Weight	: 136gms
Metal Material	: Alluminium
Life cycle	: > 20000 Cycle

Pallatizing Details	
Qty/Inner	: 1
Qty/Outer	: 10
Qty / Master	: 30
Qty / Pallate	: 1200

Special Features
Door Bell is Fire Resistant & Shockproof Which Makes It Safe to Use.
Suitable for Residential & Commercial Spaces.

10810
SMART DING DONG BELL



General	
Model Name	: Lunar Ding Dong Bell
Color	: White
Input Connection Type	: 240V AC_50Hz
Type	: Electro Mechanical
Operation /Sound / decibel	: Electro Mechanical/ Ding Dong / 75db to 85db

Product & Design Features	
Body Material	: Engineering Polymer
Metal Material (For Sound)	: Alluminium
Input Connection Wire Length	: 80mm
Switch On delay time - (Max)	: 5Sec.
Product Dimension	: 165mm x 85mm x 42 mm
Product Weight	: 154gms
Metal Material	: Alluminium
Life cycle	: > 20000 Cycle

Pallatizing Details	
Qty/Inner	: 1
Qty/Outer	: 10
Qty / Master	: 40
Qty / Pallate	: 1440

Special Features
Door Bell is Fire Resistant & Shockproof Which Makes It Safe to Use.
Suitable for Residential & Commercial Spaces.

General	
Model Name	: REVO Ding Dong Bell
Color	: White / Yellow / Blue
Input Connection Type	: 240V AC_50Hz
Type	: Electro Mechanical
Operation /Sound / decibel	: Electro Mechanical/ Ding Dong / 75db to 85db

Product & Design Features	
Body Material	: Engineering Polymer
Metal Material (For Sound)	: Alluminium
Input Connection Wire Length	: 80mm
Switch On delay time - (Max)	: 5Sec.
Product Dimension	: 165mm x 100mm x 42 mm
Product Weight	: 145gms
Life cycle	: > 20000 Cycle

Pallatizing Details	
Qty/Inner	: 1
Qty/Outer	: 10
Qty / Master	: 30
Qty / Pallate	: 900

Special Features
Door Bell is Fire Resistant & Shockproof Which Makes It Safe to Use.
Suitable for Residential & Commercial Spaces.

10818
REVO DING DONG BELL



